

APD 1100 M

Mitsubishi

D+ &



ISO8528

GC ,) &

SZUTEST

GC - \$\$\$



2000/14/EC

&\$\$\$#(#

z) \$ z' z' D:

	"	kw	"	kw	Amp
400/230	1100,00	880,00	1030,00	824,00	1488,00

fPQDE

GC ,) &

,) & z

fDF DE

%\$!

% %&

GC " \$(*"

z&(

GC

Standard Specifications

z

fl ! E

z

TRANSFER SWITCH

APD 1100 M

Mitsubishi


D+' &'



Manufacturer		Mitsubishi
Model		S12H-PTA
		%\$\$' "# "
		1020,00 kw [1367,00HP]
	L	37,110
	"	150X175
		14:1
	fl # ı	"# " 1500
	fl ı	L 200,00
		L 244,00
AbsorbedAirDischargeReSourceKey.Text	' # "	83,00
	' # "	1800,00
		24 V d.c.
	Load	%\$\$ı
	# "	
		226,00

		ECO43-1LN/4
	Hz	50
	"	1100,00
7 cg'		0,80
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD 1100 M	8940,00	4400,00	2100,00	2200,00	1500,00
		fl ı		fl ı	
	"	"	"	"	L
AK 96	12590	7500	2300	2495	1500



APD 1100 M

Mitsubishi

D+' &'



- 1 8G9ž ' + ' &\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9+' &\$ ž fi
&&\$ ž
"8G9+' &\$
8G9+' &\$ ž
% &I '* (ž
žFG&' &žFG(,) ž

APD 1100 M

Mitsubishi

D+&''



f@z@Bl
f@z@Bl

"z" "z" "z"

f@z@Bl

971

#

#

#

#



f&%) +L

f&)(, L

f&%) \$L

6G'9B '*\$-\$)

6G'9B '*%\$\$\$!*!&

6G'9B '*%\$\$\$!*!(

#



ž

%, !&*(

)
&(\$)

ž

ž

GA 8


!&+""

ž

APD 1100 M

Mitsubishi

D+' &'



- 1 Steel structure made from steel sheet and steel profiles.
- 2 canopy and panels made from powder coated sheet steel.
- 3 Emergency stop push button.
- 4 Control panel is mounted on the baseframe . Located at the back of the generator set.
- 5 Cable out locations are under or back of the canopy.
- 6 Corrosion-resistant locks and hinges.
- 7 oil could be drained via valve and a hose
- 8 Exhaust system in the canopy.
- 9 special large access doors for easy maintenance
- 10 Fuel tank is at front of the canopy ,easy access to the fuel tank via lockable door
- 11 Lifting points similar to ISO container , located on each top corner of the canopy
- 12 the cap on the canopy provides easy access to radiator cap.
- 13 sound proofing materials
- 14 Integrated ladder built in to side of the canopy allows access to the top of the canopy.

	"	2300
fl "L	"	7500
fl "L	"	2495
	L	1500