


AVP 505

Volvo Penta
Mecc Alte
D+ &



ISO8528

SZUTEST

CE

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	kw	"	kw	Amp
400/230	505,00	404,00	455,00	364,00	656,75

fP GDE

fDF DE

%\$1

% %&

z&(

GC

Standard Specifications

z

fl

z

z

fl

z

ALTERNATOR

fl

z

fP \$\$\$ \$\$\$

fl

TRANSFER SWITCH

AVP 505


Volvo Penta
Mecc Alte
D+ &



Manufacturer		Volvo Penta
Model		TAD1345GE
		% \$\$ " # "
		441,00 kw [600,00HP]
	L	12,780
	"	131X158
		18,1:1
	fl # 7	"# "
	L	36,00
	L	44,00
AbsorbedAirDischargeReSourceKey.Text	' # "	27,60
	' # "	402,00
		24 V d.c.
	Load	% \$ \$ i
	# "	
		101,70

		Mecc Alte
		ECO40 3S/4
	Hz	50
	"	500,00
7cg		0,80
		3
	fl 7	400/230
	A	721,00

		fl 7		fl 7	
	"	"	"	"	L
AVP 505					



AVP 505

Volvo Penta
Mecc Alte
D+' &'



- 1 8G9ž '+' &\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9+' &\$ ž fl
&&\$ ž
"8G9+' &\$
8G9+' &\$
ž
% &l '* (
žFG&' &žFG(,) ž

AVP 505

Volvo Penta
Mecc Alte
D+ &



f@#@Bt
f@#@@t

"z" "z" "z"

f@#@Bt

971

#

#

#

#



f&%) +t

f&)(, t

f&% \$t

6G'9B '*\$-\$)

6G'9B '*%\$\$\$!*!&

6G'9B '*%\$\$\$!*!(

#



ž

%, !&*(

ž
&(\$)

ž

ž

GA 8

!&+""

ž