

AJD 33

John Deere
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$%

CE

2000/14/EC

&\$\$\$#(#

z) \$' z' z' D:

	"	kw	"	kw	Amp
400/230	33,00	26,40	28,00	22,40	40,00

fPQDE

GC ;) &

) & z

fDF DE

%\$!

% % %&

GC " \$(**

z&(

GC

Standard Specifications

z

fl

!

E

z

z

ALTERNATOR

TRANSFER SWITCH

AJD 33

John Deere
Mecc Alte
P 602

Manufacturer		John Deere		
Model		3029 D		
		% \$ \$	"# "	
		31,00 kw [41,00HP]		
	L	2,900		
	"	106 X 110		
		17,2:1		
	fl # ı	"# "	1500	
	fl ı	L	6,00	
		L	15,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	1,80		
	' # "	81,00		
	' # "	610,00		
	° C	555,00		
		12 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "	6,80	5,20	3,60

		Mecc Alte		
		ECO 28-VL/4		
	Hz	50		
	"	30,00		
7cg		0,80		
		3		
	fl ı	400/230		
	A	43,00		
Temperature		H		

		fl ı		fl ı	
	"	"	"	"	L
AJD 33	720,00	1490,00	900,00	1223,00	70,00
		fl ı		fl ı	
	"	"	"	"	L
AK 20	900	2100	960	1370	70

AJD 33

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg: U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž 'J c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi hrcb'UbX ž gYg Zc'fVëbfc''V]fV]jg''

7ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VëUhb['cZghYY''dfcj]XYg Vëffcg]cb
fyg]ghbghi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\][\ ['cgg'UbX'Yi fYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV]gg'hc''Vëa dcbYbrg''

'7cbfcd' dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cWUHY'Uhih'Y f][\hg]XY'cZh'Y [YbYfUhc'f'gyhfk \Yb'nci
'cc_'Uhih'Y; Yb''GYH'Zca '5'fYfbUhc'fë

H\Y''8G9''\$&\$]g'U'ghUbXUfX Vëbfc''a cXi 'Y'Zc'f'ci f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX'[Ug[YbYfUhc'f'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
ZYei YbVhžj c'žW'fYbžYb[]bY'c']dfYggi fyžVëc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHYfmj c'hg''A cXi 'Y'
a cb]rcf'g'h'Y a U]bg'gi dd'imUbX'gk]hW'c] Yf'hc'h'Y [YbYfUhc'f'k \Yb'h'Y a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'Ugc
]bX]WUHY'g'cdYfUhc'bU'ghUhi g'UbX'Zi 'hVëbX]h]cbgž5i hca U]hW'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['fhi Y'žfghi d
Zi 'hVëbX]h]cb'cZ; Yb''GYhZU]i fy''H\Y'@78'X]gd'Um]bX]WUHY'g'h'Y'Zi 'h'

A]WëdfcW'ggcf Vëbfc''YX''
@78'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX''
(!]bYž*('1'%'&d] Y'X]gd'Um'

5i hca U]hW'mifUbgZ'fg'VYh'YYb'a U]bg'fi h]h'hc'UbX [YbYfUhc'f'dck Yf''
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb''Uhc'i h'
F Ya ch'Y ghUf'h'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7cbfcd'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYi hrc'h'Y @78'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ h'Y'a cXi 'Ygfa YHf]b['X]gd'Umg''

AJD 33

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f'j c' hU[Y"
I bXYf#j Yf[YbYfUhc'f'Z'Yei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f'Z'Yei YbVW"
I bXYf#j Yf[YbYfUhc'f'j c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f'j YfW'ffYbh"

: 'YI J'V'Y'gYbgcf'Wb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]migtUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'H'V'bc'c[mUbX'ih\Ug\] [\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] '
#bdi h% , ' !&* ('j c'h57 "'Dfc]bY'&(\$) \Ug'Z' 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VW'YbVW'cb[']Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'fYbUf]j Yg' H\Y'VUf[Yf]g'Z'hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]Hf'hc'fYXi V'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf'\] [\ fY']UV]]h'

AJD 33

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Base frame -tank

	"	960
fi "L	"	2100
fi "L	"	1370
	L	70