

APD 110 C

Cummins
Akso
P 602



z) \$ z' \$z' D:

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	145,00

Standard Specifications

z

fl ! E

z

z

ALTERNATOR

TRANSFER SWITCH

APD 110 C

Cummins
Aksa P 602




Manufacturer		Cummins																		
Model		6 BT 5,9-G2																		
		<table border="1"> <tr> <td>%</td> <td>\$</td> <td>'</td> <td>"</td> <td>#</td> <td>"</td> </tr> <tr> <td>-</td> <td>&</td> <td>Z</td> <td>\$</td> <td>'</td> <td>"</td> </tr> <tr> <td>0</td> <td>&</td> <td>'</td> <td>Z</td> <td>\$</td> <td>< DQ</td> </tr> </table>	%	\$	'	"	#	"	-	&	Z	\$	'	"	0	&	'	Z	\$	< DQ
%	\$	'	"	#	"															
-	&	Z	\$	'	"															
0	&	'	Z	\$	< DQ															
	L	5,900																		
	"	102 X 120																		
		17,3:1																		
	fl # 7	"# "																		
	L	16,40																		
	L	32,90																		
AbsorbedAirDischargeReSourceKey.Text	' # "	6,50																		
fl ' # "7	' # "	136,00																		
	' # "	16,80																		
		24 V d.c.																		
	Load	%"\$1																		
	# "																			
		22,00																		

		Aksa
		AK480
	Hz	50
	"	100,00
7cg		0,80
		3
	fl 7	400/230

		fl "7		fl "7	
	"	"	"	"	L
APD 110 C	1280,00	2150,00	1000,00	1470,00	195,00
		fl "7		fl "7	
	"	"	"	"	L
ASM 5	1700.00	3120	1070	1720	195

D * \$ & !



- 1 A U]b'ghUhi g'X]gd'Un'i
- 2 8]gd'UmigVc''Vi hrcb"
- 3 DU[Yf]bZcfa U]cbk'Vi hrcb"
- 4 7 ca a cb'U'Ufa ']bX]V]hcf"
- 5 GHUhi g'@98tj"
- 6 CdYfU]cb'g'YV]b['Vi hrcbg"

APD 110 C

Cummins
Aksa P 602



- 1 8G9ža cXY**&&\$5i hc'A U]bg: U]i fy'Včbffc'a cXi 'Y"
6UHYfmVXUf[Yf'jodi h%, !&*(j c'hžci hdi h'&+ž'J') '5 f&(J ěcf% ž J c'h) 5 f&J ě
9a Yf[YbVhrgčd'di g\ Vi Hčb'UbX'Z gYg'Zcf'Včbffc'`WfVW]hg`
 - 2 7ca dcbYbtrg]bgrU'YX'j]b'g\YYhgHY'YbWčgi fy"D\cgd\UHY'VWYa]W'ždfY!VčUhb['cZghY'`dfcj]XYg'Včffc]cb
fyg]g]Ubhgi fZUW'Dc'mYgYfVča dcg]HY'dck XYf'čcdVčUhc'fa g'\ [' cgg'UbX'Yi HfYa Y'mXi fUVY'Z]b]g\''@cW\UVY
UbX'\]b[YX'dUbY'Xccf'dfcj]XYg'YUgmUWVgg'hc'Vča dcbYbtrg`
 - 3 7cbffc'dUbY'j]g'a ci bHYX'cb'VUgYZUa Y'k]h'ghY'ghUbX''@cW]HYX'UhHAY'f[\hg]XY'cZHAY [YbYfUčf'gYhfK \Yb'nci
'cc_'UhHAY'; Yb"GyH'Zca '5'HYfbUčfč
 - 4 HAY'8G9'*\$&\$]g'U'ghUbXUfX'Včbffc'a cXi 'Y'Zcf'ci f[YbYfUčf'gYhg'i d'hc'&\$\$_J'5'UbX'ih\Uj'Y'VYYb'XYg][bYX'hc
ghUfhUbX'ghčd'X]YgY'UbX'[Ug[YbYfUčf'gYhg"HAY'8G9'*\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]čf[YbYfUčf
Z]Yei YbVhž] c'ž'W'fYbžYb[]bY'c]'dfYggi'fYžVčc'UbHfYa dYfUhi'fY'fi bb]b[\ci fg'UbX'VUHYfmj'c'hg"A cXi 'Y
a cb]čf'g'HAY'a U]bg'gi dd'mUbX'gk]H\ 'cj Yf'hc'HAY [YbYfUčf'k \Yb'HAY'a U]bg'dck Yf'Z]g''HAY'8G9'*\$&\$'U'gc
]bX]W]HYg'cdYfU]cbU'ghUhi'g'UbX'Z]i 'hVčbX]hčbgž5i'hc'a U]W]mg'li H]b['Xck b'HAY'; Yb"GyH'UbX'[]j]b['Hf'Y'Z]fghi d
Z]i 'hVčbX]hčb'cZ; Yb"GyH'Z]i'fY'HAY '@78'X]gd'Um]bX]W]HYg'HAY'Z]i 'H'
- A]WčdfcWggcf'Včbffc'`YX"
@78'X]gd'Uma U_Yg]bZ'fa U]hčb'YUgmhc'fYUX"
(!]bYž*('1' % &d]]Y'X]gd'Um'
5i'hc'a U]W]m]fUbgZ]fg'VYk'YYb'a U]bg'fi H]m]k'UbX [YbYfUčf'dck Yf"
A Ubi U' dfc[fUa a]b['cb'ZcbhdUbY"
I'gYf]Z]YbX'mgYH'i d'UbX'Vi Hčb'`Unci' H'
: fcbhdUbY' dfc[fUa a]b["
F Ya cHY'ghUfh'
9j Ybhi'c[[]b['f%\$tg\ck]b['XUHY'UbX'h]a Y"
7cbffc'g' Ghčd#f YgYhž'A Ubi U'ž5i'hcž'HYghž'GHUfž'Vi Hčb'g''5b'UXX]hčbU'di g\ Vi Hčb'bYi hč'`HAY '@78'X]gd'Um]g
i gYX'hc'gWč'`h'fci [\ HAY'a cXi 'Yg'fa YHYf]b['X]gd'Um`g`

APD 110 C

Cummins
Aksa P 602



9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUV'Y hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn'
A U]bg'YbUV'YX"
; Yb"GYhfYUXn'
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] 'hc' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf [YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh'

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' hf'dL
@c'WV'gYh]b['dUfUa YHfg'UbX'a cb]hc'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]migtUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX"


'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\][\ YZ]V]bYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chV]VW]hdfchV]V]cb'UbX'ihVWb'VY i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf\Ug\][\ YZ]V]bYVW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'][\hk Y][\hUbX' 'ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchV]V]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc' fYXi VV'Y'YVW]VW' 'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]VW' m]gc'UfYX']bdi hUbX'ci hdi h]m]d]VW' m(_J 'Zcf'\][\ fY']UV]]m'

APD 110 C

Cummins
Akso P 602



5GA) !



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 Base frame -fuel tank.
- 9 Lifting Points.
- 10 sound proofing materials.

1

	"	1070
fl "L	"	3120
fl "L	"	1720
	L	195